

GARDEN WINDOW FEATURES



- A 1" ComforTech™ DC Double Glazed Clear Glass (Double-Glazed Low E with Argon also available).
- B Twin-sealing, fully screened, operating casements with external glazing for improved weather protection.
- C Locks and operators are conveniently mounted to the inside front area for easy access.
- The multi-point locking system provides a tighter seal and additional security.
- Both the venting sashes and deadlites have a built-in weep system.

- The projection of the window from the exterior wall face is a constant 17 inches.
- G FlexScreen® screens in both operating sashes.
- OPTIONAL One or two adjustable glass shelves with polished edges, brackets and standards. Depending on the width of the unit, the glass thickness will either be 3%" or ½".
- Vinyl frame will not chip, rot, peel and will never need to be painted.

HIGHLY RECOMMENDED

Insulation board with a "R" value of 5 can be installed under the seat board to increase the "R" value to 6.22. This 1" thick lightweight rigid material is waterproof.

Stuctural Features

Full welded, rigid PVC frame for greater strength and stability

Center mullion contains aluminum and steel reinforcements

Top slope insulating glass (a constant 35-degree pitch) is tempered for improved safety and unit integrity

Snap-in sill cover for seat board provides aesthetic appeal and weather resistance

Exterior grade plywood head board, seat board and jamb are 1 1/4" for improved structural and thermal performance

Operators are sealed to prevent air and water infiltration

Engineered for both construction and remodeling applications

Knee brace supports are not needed

SIZE LIMITATIONS

 Width
 Height
 Maximum

 24" to 72"
 30" to 65"
 120" U.I.

Garden windows require additional lead time. Garden windows are manufactured by Ventana USA; however, they are covered by ProVia's **Lifetime Limited Warranty.**





COLORS

Vinyl Colors



Head Board, Seat Board and Jamb Colors



^{*} Unfinished.

Exterior Paint Finishes

Trending paint colors also available. See entryLINK for all color options.



Hardware




COMFORTECH" GLASS PACKAGES



00000000 R-Value of 2

Baseline double glazed glass package, with two panes of clear glass and the air space acting as an insulator. No Argon gas.



DLA

00000000 R-Value of 4

Double glazed glass package with high performance Low-E coating applied to one pane. Insulating chamber is filled with Argon gas.

DC Glass is recommended if planning to use your Garden Window for plants. Clear glass will let in the most sunlight.

Privacy Options

Choose from six different types of glass if you need light to filter in, yet want to maintain privacy.





Chinchilla



Taffeta





Waterfall



Gluechip



Obscure Pebble Frosted

FLEXSCREEN®

Nearly indestructible. Barely visible. Available with BetterVue® or Heavy Duty Fiberglass Mesh.



SIMPLE DESIGN

PVC coated spring steel frame with no attachment hardware.

EFFORTLESS INSTALLATION

Simply hold the screen in your hands, bend the sides in, and fit FlexScreen into your screen pocket.

DAMAGE RESISTANT

No more bent aluminum frames, scratched paint and broken hardware.

BEAUTIFULLY INVISIBLE

FlexScreen easily hides in the window screen pocket, drastically improving sight lines.

Lifetime Limited Warranty





"To serve, by caring for details in ways others won't." It's not just our mission, but a way of letting our light shine every day at ProVia®. We continually strive to put these words into action by providing unmatched quality and service. The P-icon symbolizes each employee's commitment to devoting the utmost care, pride and quality into each building product we manufacture...it's The Professional Way.



At ProVia, we manufacture energy efficient products and exercise corporate environmental stewardship by recycling, reducing pollution emissions and much more. In fact, our company has received repeated awards from the Environmental Protection Agency such as Partner of the Year - Sustained Excellence for outstanding efforts in energy savings.

| Provia [®] THE PROFESSIONAL WAY | | | | | |
|---|--|--|--|--|--|
| DOORS WINDOWS SIDING STONE ROOFING | | | | | |
| provia.com | | | | | |

© 2024 ProVia P-MK-02400-24 | 11/23

| Distributed by: | | | |
|-----------------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |